

L Number	Hits	Search Text	DB	Time stamp
7	24	((("5,289,540") or ("5,956,406") or ("5,710,817") or ("5289540") or ("5956406") or ("5548721") or ("5485519") or ("5799086") or ("5657470") or ("4757534") or ("5201000") or ("5623637") or ("4405829"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:32
12	54	(cooperat\$3 or group or collaborat\$3) near10 authoring near5 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:53
13	1	((cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:49
15	1146	authoring adj5 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:14
16	20	( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:52
17	18	(( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:16
18	901	( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:17
19	37	(( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:18
20	0	(( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:52
21	110	(distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:17
22	82	((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:54
23	137	(( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:05

24	35	(( (authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or (( (authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:59
25	35	(( (authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or (( (authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:10
28	2407	virtual adj3 (storage or memory or disk) and shar\$3 near3 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:10
29	1989	(virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:10
31	368	((virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:12
33	7458	(learning or authoring) adj5 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:14
34	8	(( (virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)) and ( (learning or authoring) adj5 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:15
35	5704	( (learning or authoring) adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:16
36	515	((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:17
37	373	((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:06
38	8	(( (distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 11:18

27	22	((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:18
39	143	((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) or (((virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)) and ( learning or authoring) adj5 system)) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or ((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:05
40	11	((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) or (((virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)) and ( learning or authoring) adj5 system)) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or ((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock))) and (private and public) adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:18

41	11	(((authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or (((authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) or (((virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)) and (learning or authoring) adj5 system)) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or (((authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock))) and (private and public) adj key) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101) (provid\$3 or provision\$3) with (multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:14
42	19		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:17
43	10	((provid\$3 or provision\$3) with (multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:17
44	178	(multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:22
45	115	((multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:18
46	51	((multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:21
47	1	((multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock)) and (private and public) adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:19

48	0	((((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) or (((virtual adj3 (storage or memory or disk) and shar\$3 near3 memory) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (multi-user or (multiple or plurality) adj3 (user or client)) and (server or controller)) and ( learning or authoring) adj5 system)) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 (learning or authoring) near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or ((((( authoring adj5 system) and (off-line or offline or out adj3 band or disconnect\$3) with edit\$3) or ((( authoring adj5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and version\$3 near5 control) or (((distributed or cooperat\$3 or group or collaborat\$3) near10 authoring near5 system) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))) and (internet or web) and download\$3 and upload\$3) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and (access near5 control or lock))) and (( (multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:21
49	2129	(709/20\$ and 709/21\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:40
50	5	((709/20\$ and 709/21\$).ccls.) and (multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:33
55	4	((("6151677") or ("5727159") or ("6336137") or ("6418310")).PN.	USPAT; US-PGPUB	2004/04/18 12:38
56	2	(( (multi-user or multi-client or plurality adj4 (customer or user or client)) near10 storage adj5 (network or system)) and (@AD <20001101 or @PRAD < "20001101" or @RLAD <20001101)) and ( learning or authoring) adj5 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 12:40
-	6	((("6148377") or ("5966715") or ("5758072")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	4	((("6301607") or ("6226642")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/18 10:43
-	4	((("5561854") or ("4610013")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	6	((("5561854") or ("4610013") or ("4,905,233")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27

-	8	((("5561854") or ("4610013") or ("4,905,233") or ("5590119")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	2	("5136707").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:02
-	2	("6418448").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 15:31
-	6	((("6148377") or ("5966715") or ("5758072")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	4	((("6301607") or ("6226642")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	4	((("5561854") or ("4610013")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	6	((("5561854") or ("4610013") or ("4,905,233")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	8	((("5561854") or ("4610013") or ("4,905,233") or ("5590119")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:27
-	44	((("6418448").PN.) or (((("5,289,540") or ("5,956,406") or ("5,710,817") or ("5289540") or ("5956406") or ("5548721") or ("5485519") or ("5799086") or ("5657470") or ("4757534") or ("5201000") or ("5623637") or ("4405829")).PN.) or (((("6148377") or ("5966715") or ("5758072")).PN.) or (((("6301607") or ("6226642")).PN.) or (((("5561854") or ("4610013")).PN.) or (((("5561854") or ("4610013") or ("4,905,233")).PN.) or (((("5561854") or ("4610013") or ("4,905,233") or ("5590119")).PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 16:28